

# Work Order ID 51976

September 11, 2009 9:52:26 AM



Page 1

Item ID: D3823-2KGY

Accept



Setup Start



Revision ID: C

Stop



Item Name: Overhead Rear, RH-Grey

Start Date: 09/11/2009 Start Qty: 1.00



Cust Item ID:

Required Date: 09/21/2009 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: RL

Date: 09-11

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

100

0.00



HandThermo

Memo

0.00

Hand Finishing Thermoforming

1-Cut Sheet to required Blank size

M 111807  
BB 09/14/09  
(X2)

110

0.00



Thermoform

Memo

0.00

Thermoforming Machine

1-Machine Set-Up  
2-Pre-heat Tool to required temp.  
3-Thermoform as per Dwg and Folio #FTA031 using tool DT9113  
Dwg Rev: C  
Folio Rev: \_\_\_\_\_

BB 09/14/09  
(X2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 51976**

September 11, 2009 .9:52:26 AM



Page 2

Item ID: D3823-2KGY

Accept



Setup Start



Revision ID: C

Stop



Item Name: Overhead Rear, RH-Grey

Start Date: 09/11/2009 Start Qty: 1.00



Cust Item ID:

Required Date: 09/21/2009 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

120

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

Visually inspect part for proper formation and texture

BB 09/16/09  
X2

130

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

Vh 09/16/09  
X2

140

0.00



HandThermo

Memo

0.00

Hand Finishing Thermoforming

1-Trim to finished dimensions as per Dwg

BB 09/16/09  
X2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 51976**

September 11, 2009 9:52:26 AM



Page 3

Item ID: D3823-2KGY

Accept



Setup Start



Revision ID: C

Stop



Item Name: Overhead Rear, RH-Grey

Start Date: 09/11/2009 Start Qty: 1.00



Cust Item ID:

Required Date: 09/21/2009 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

150

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

Complete FAI document

BB 09/16/09  
X2

160

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

2) 8 02/01/24



170

Identify as per dwg &amp; Stock Location: \_\_\_\_\_

0.00



Packaging

Memo

0.00

Packaging

19/9/28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 51976**

September 11, 2009 9:52:26 AM



Page 4

Item ID: D3823-2KGY

Accept



Setup Start



Revision ID: C

Stop



Item Name: Overhead Rear, RH-Grey

Start Date: 09/11/2009 Start Qty: 1.00



Cust Item ID:

Required Date: 09/21/2009 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

09/09/09 JJ

MF 09-09-29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng.	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

September 11, 2009 9:52:26 AM

Page 1

Work Order ID: 51976



Parent Item: D3823-2KGYRevC



Parent Item Name: Overhead Rear, RH-Grey

Start Date: 09/11/2009

Required Date: 09/21/2009

Comments:

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
MKYD6185S.080-P3- 52068		Purchased	No				sf	907.6732	11.1556			



Kydex steel grey

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

MAT

111807

907.6732

907.6732

M111807  
BB 09/16/09  
X2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b> 51976
<b>Description:</b> Rear Overhead, RH		<b>Part Number:</b> D3823-2KIV/KGY
<b>Inspection Dwg:</b> D3823	<b>Rev:</b> C	<b>Page 1 of 1</b>

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

#### THERMOFORMING SECTION

Description	Accept	Reject	Method of Inspection	Comments
Inside Radii less than "	/			
Shape Definition	/			
Texture Retention	/			
Material imperfections such as bumps, cracks, voids, scratching	/			

Measured by: BB

Date: 09/16/09

#### TRIMMING SECTION

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.5	Min	.55	/			
0.44	Min	.5	/			
1.75	Min	1.85	/			
0.045	Min	.061	/			
0.055	Min	.081	/			

Measured by: BB

Date: 09/16/09

Audited by: [Signature]

Date: 09/16/09

Prototype Approval:

N/A

Date:


N/A

Rev	Date	Change	Revised by	Approved
A	09.06.26	New Issue	KJ [Signature]	[Signature]

SHOP COPY  
RETURN TO

ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 51976

B8-1  
DETAIL B



**DETAIL B**  
SCALE 5X

**SECTION A-A** C4-1

B6-1  
A



0.44  
MIN

A

TEXTURED SIDE

35.94  
REF

MIN THICKNESS  
0.045  
(SHADED REGION)

14.3  
REF

1.75  
MIN

**RELEASED**  
9/12/22





**D3823-1 REAR OVERHEAD, LH**


**NOTES:**

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 1.9 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9112 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.055" UNLESS OTHERWISE NOTED




PART NUMBER	DESCRIPTION
D3823-1KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3823-1KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

C	ADD STEEL GRAY COLOUR OPTION, ADD IVORY P/N'S D3823-1/2-3(KIV) AND ADD STEEL GRAY P/N'S D3823-1/2-3(KGY) (ZN A5-1, A5-2, A5-3)	PH	09.05.05
B	ADD JOGGLE TO D3823-1/2-3 FOR BETTER FIT WITH D3824-1/3 HAT BIN (ZN C5-1, C5-2, C8-3); 0.40 WAS 0.18 (ZN B7-1, D7-2); 0.45 WAS 0.29 (ZN B8-3)	PH	09.02.09
A	NEW ISSUE	PH	08.09.26
REV.	DESCRIPTION	BY	DATE
DESIGN		<b>DART AEROSPACE LTD</b> <b>HAWKESBURY, ONTARIO, CANADA</b>	
DRAWN		DRAWING NO.	REV. C
CHECKED		D3823	SHEET 1 OF 3
MFG. APPR.		TITLE	SCALE
APPROVED		REAR OVERHEAD	NT
DE APPR.			
DATE	09.05.05	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



**DETAIL D**  
SCALE 5X

**SECTION C-C**



**D3823-2 REAR OVERHEAD, RH**

**NOTES:**


- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 1.9 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9113 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.055" UNLESS OTHERWISE NOTED



PART NUMBER	DESCRIPTION
D3823-2KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3823-2KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	REV. C	<b>DART AEROSPACE LTD</b>
DRAWN	REV. C	HAWKESBURY, ONTARIO, CANADA
CHECKED		DRAWING NO. D3823
MFG. APPR.		REV. C
APPROVED		SHEET 2 OF 3
DE APPR.		TITLE REAR OVERHEAD
DATE	09.05.05	SCALE NTS
COPYRIGHT © 2008 BY DART AEROSPACE LTD		
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		

**RELEASED**  
09/12/12



# **NOTES:**

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 2.5 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9110 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.055" UNLESS OTHERWISE NOTED

PART NUMBER	DESCRIPTION
D3823-3KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3823-3KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	PA	<b>DART AEROSPACE LTD</b>
DRAWN	RA	HAWKESBURY, ONTARIO, CANADA
CHECKED	A	DRAWING NO. REV. C
MFG. APPR.	MD	D3823 SHEET 3 OF 3
APPROVED	NW	TITLE SCALE
DE APPR.	W	REAR OVERHEAD NTS
DATE	09.05.05	COPYRIGHT © 2008 BY DART AEROSPACE LTD
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**RELEASED**  
09/05/2005